



Price list 2021 / 2022




VRF SYSTEMS

Indoor units	Code	Application	Qch [kW]	Qt [kW]	In package	Price without VAT
High-wall - G						
	3pin GCHV-D22G/HR1-GSB	High-wall	2,2	2,5	infrared controller	566 €
	GCHV-D28G/HR1-GSB	High-wall	2,8	3,2	infrared controller	580 €
	GCHV-D36G/HR1-GSB	High-wall	3,6	4	infrared controller	624 €
	GCHV-D45G/HR1-GSC	High-wall	4,5	5	infrared controller	652 €
	GCHV-D56G/HR1-GSC	High-wall	5,6	6,3	infrared controller	665 €
	GCHV-D71G/HR1-GSC	High-wall	7,1	8	infrared controller	720 €
Floor-ceiling - LD						
	3pin GCHV-V45UA/HR1-LDBA	Floor-ceiling	4,5	5	infrared controller	899 €
	GCHV-V56UA/HR1-LDBA	Floor-ceiling	5,6	6,3	infrared controller	940 €
	GCHV-V71UA/HR1-LDBB	Floor-ceiling	7,1	8	infrared controller	974 €
	GCHV-V80UA/HR1-LDBB	Floor-ceiling	8	8,8	infrared controller	1 057 €
	GCHV-V90UA/HR1-LDBC	Floor-ceiling	9	10	infrared controller	1 074 €
	GCHV-V112UA/HR1-LDBC	Floor-ceiling	11,2	12,5	infrared controller	1 235 €
	GCHV-V140UA/HR1-LDBC	Floor-ceiling	14	15	infrared controller	1 252 €
	GCHV-V160UA/HR1-LDBC	Floor-ceiling	16	17	infrared controller	1 286 €
Cassette 1-way - Q1 (availability on request)						
	CMV-V22Q1/HR1-B	Cassette	2,2	2,5	infrared controller, pump	1 204 €
	CMV-V28Q1/HR1-B	Cassette	2,8	3,2	infrared controller, pump	1 225 €
	CMV-V36Q1/HR1-B	Cassette	3,6	4	infrared controller, pump	1 252 €
	CMV-V45Q1/HR1-B	Cassette	4,5	5	infrared controller, pump	1 338 €
	CMV-V56Q1/HR1-B	Cassette	5,6	6,3	infrared controller, pump	1 386 €
	CMV-V71Q1/HR1-B	Cassette	7,1	8	infrared controller, pump	1 465 €
Cassette 2-way - Q2 (availability on request)						
	CMV-V45Q2/HR1-B	Cassette	4,5	5	infrared controller, pump	1 393 €
	CMV-V56Q2/HR1-B	Cassette	5,6	6,3	infrared controller, pump	1 420 €
	CMV-V71Q2/HR1-B	Cassette	7,1	8	infrared controller, pump	1 547 €
	CMV-V80Q2/HR1-B	Cassette	8	9	infrared controller, pump	1 581 €
Cassette 4-way mini (panel 650x650mm) - Q4						
	DC motor CMV-D22Q4/HR1-C	Cassette - mini	2,2	2,5	infrared controller, pump	840 €
	CMV-D28Q4/HR1-C	Cassette - mini	2,8	3,2	infrared controller, pump	875 €
	CMV-D36Q4/HR1-C	Cassette - mini	3,6	4	infrared controller, pump	912 €
	CMV-D45Q4/HR1-C	Cassette - mini	4,5	5	infrared controller, pump	923 €
	SP-S044	Cassette panel 650x650mm (LED display) - specify code in order, mandatory for models Q4				in price
Cassette round flow (panel 950x950mm) - QR						
	DC motor CMV-D56QR/HR1	Cassette	5,6	6,3	infrared controller, pump	1 010 €
	CMV-D71QR/HR1	Cassette	7,1	8	infrared controller, pump	1 072 €
	CMV-D80QR/HR1	Cassette	8	8,8	infrared controller, pump	1 114 €
	CMV-D90QR/HR1	Cassette	9	10	infrared controller, pump	1 261 €
	CMV-D100QR/HR1	Cassette	10	11	infrared controller, pump	1 281 €
	CMV-D112QR/HR1	Cassette	11,2	12,5	infrared controller, pump	1 300 €
	CMV-D125QR/HR1	Cassette	12,5	14	infrared controller, pump	1 362 €
	CMV-D140QR/HR1	Cassette	14	15	infrared controller, pump	1 414 €
	CMV-D160QR/HR1	Cassette	16	17	infrared controller, pump	1 457 €
	SP-S070	Cassette panel 950x950mm (digital display) - specify code in order, mandatory for models QR				in price
	Ducted low pressure (ESP=30Pa) - TA					
	DC motor CMV-D22TA/HR1-C	Ducted	2,2	2,5	wired controller	665 €
	CMV-D28TA/HR1-C	Ducted	2,8	3,2	wired controller	696 €
	CMV-D36TA/HR1-C	Ducted	3,6	4	wired controller	710 €
	CMV-D45TA/HR1-C	Ducted	4,5	5	wired controller	751 €
	CMV-D56TA/HR1-C	Ducted	5,6	6,3	wired controller	779 €
	CMV-D71TA/HR1-C	Ducted	7,1	8	wired controller	923 €
Ducted medium pressure (ESP=70Pa) - TB						
	DC motor CMV-D71TB/HR1-B	Ducted	7,1	8	wired controller	936 €
	CMV-D80TB/HR1-B	Ducted	8	9	wired controller	1 019 €
	CMV-D90TB/HR1-B	Ducted	9	10	wired controller	1 149 €
	CMV-D100TB/HR1-B	Ducted	10	11	wired controller	1 197 €
	CMV-D120TB/HR1-B	Ducted	12	13	wired controller	1 276 €
	CMV-D150TB/HR1-B	Ducted	15	17	wired controller	1 303 €
Ducted high pressure (ESP=150Pa, 200Pa) - TH						
	CMV-V71TH/HR1-B	Ducted	7,1	7,8	wired controller	1 015 €
	CMV-V80TH/HR1-B	Ducted	8	8,8	wired controller	1 057 €
	CMV-V90TH/HR1-B	Ducted	9	10	wired controller	1 077 €
	CMV-V100TH/HR1-B	Ducted	10	11	wired controller	1 118 €
	CMV-V120TH/HR1-B	Ducted	12	13	wired controller	1 146 €
	CMV-V150TH/HR1-B	Ducted	15	17	wired controller	1 190 €
	CMV-V200TH/HR1-B	Ducted	20	22	wired controller	2 240 €
	CMV-V250TH/HR1-B	Ducted	25	27,5	wired controller	2 271 €
	CMV-V280TH/HR1-B	Ducted	28	30,8	wired controller	2 326 €
	CMV-V450TH/HZR1	Ducted (200Pa)	45	50	wired controller	3 180 €
	CMV-V560TH/HZR1	Ducted (200Pa)	56	63	wired controller	3 434 €

Qch - cooling capacity - indoor temperature 27°C/19°C (dry/wet bulb), outdoor temperature 35°C/24°C (dry/wet bulb)
 Qt - heating capacity - indoor temperature 20°C/12°C (dry/wet bulb), outdoor temperature 7°C/6°C (dry/wet bulb)

VRF SYSTEMS



Outdoor units	Code	Power supply	Qch/Qch max [kW]	Qt/Qt max [kW]	Price without VAT
Outdoor units 2-pipe - GCHV mini					
	GCHV-DH080W/R1	Single phase	8 / 10,4	9 / 11,7	2 144 €
	GCHV-DH100W/R1	Single phase	10 / 13	11 / 14,3	2 232 €
	GCHV-DH125W/R1	Single phase	12,5 / 16,3	14 / 18,2	3 307 €
	GCHV-D125W/HZR1-050D	Three phase	12,5 / 16,3	14 / 18,2	3 434 €
	GCHV-DH140W/R1	Single phase	14 / 18,2	16 / 20,8	3 366 €
	GCHV-D140W/HZR1-050D	Three phase	14 / 18,2	16 / 20,8	3 494 €
	GCHV-DH160W/R1	Single phase	16 / 20,8	18 / 23,4	3 637 €
	GCHV-D160W/HZR1-050D	Three phase	16 / 20,8	18 / 23,4	3 655 €
	GCHV-D180W/HZR1-050D	Three phase	18 / 23,4	20 / 26	4 626 €
	GCHV-D224W/HZR1-080	Three phase	22,4 / 29,12	24 / 31,2	5 569 €
	GCHV-D260W/HZR1-100	Three phase	26 / 33,8	28,5 / 37,05	5 989 €
	GCHV-D280W/HZR1-100	Three phase	28 / 36,4	31,5 / 41	6 178 €
	GCHV-D335W/HZR1-100	Three phase	33,5 / 43,6	37,5 / 48,8	6 524 €

Outdoor units	Code	Capacity [HP]	Qch/Qch max [kW]	Qt/Qt max [kW]	Price without VAT
Outdoor units 2-pipe (only EVI DC inverter compressors) - GCHV PRO (heating until -30°C)					
	GCHV-E252W/*ZR1	8	25,2 / 32,8	27,4 / 35,6	8 089 €
	GCHV-E280W/*ZR1	10	28 / 36,4	31,5 / 41	8 655 €
	GCHV-E335W/*ZR1	12	33,5 / 43,6	37,5 / 48,8	10 229 €
	GCHV-E400W/*ZR1	14	40 / 52	45 / 58,5	11 852 €
	GCHV-E450W/*ZR1	16	45 / 58,5	50 / 65	12 582 €
	GCHV-E500W/*ZR1	18	50 / 65	56 / 72,8	14 136 €
	GCHV-E560W/*ZR1	20	56 / 72,8	63 / 81,9	14 785 €
	GCHV-E615W/*ZR1	22	61,5 / 80	69 / 89,7	15 320 €
	GCHV-E670W/*ZR1	12 + 12	67 / 87,2	75 / 97,6	20 458 €
	GCHV-E730W/*ZR1	10 + 16	73 / 94,9	81,5 / 106	21 237 €
	GCHV-E785W/*ZR1	12 + 16	78,5 / 102,1	87,5 / 113,8	22 811 €
	GCHV-E835W/*ZR1	12 + 18	83,5 / 108,55	93,5 / 121,55	24 365 €
	GCHV-E900W/*ZR1	16 + 16	90 / 117	100 / 130	25 164 €
	GCHV-E950W/*ZR1	16 + 18	95 / 123,5	106 / 137,8	26 718 €
	GCHV-E1010W/*ZR1	16 + 20	101 / 131,3	113 / 146,9	27 367 €
	GCHV-E1065W/*ZR1	16 + 22	106,5 / 138,5	119 / 154,7	27 902 €
	GCHV-E1115W/*ZR1	18 + 22	111,5 / 144,95	125 / 162,5	29 456 €
	GCHV-E1175W/*ZR1	20 + 22	117,5 / 152,75	132 / 171,6	30 105 €
	GCHV-E1230W/*ZR1	22 + 22	123 / 159,9	138 / 179,4	30 640 €
	GCHV-E1285W/*ZR1	12 + 12 + 22	128,5 / 167,05	143,5 / 186,55	35 778 €
	GCHV-E1345W/*ZR1	10 + 16 + 22	134,5 / 174,85	150,5 / 195,65	36 557 €
	GCHV-E1400W/*ZR1	12 + 16 + 22	140 / 182	156 / 202,8	38 131 €
	GCHV-E1450W/*ZR1	12 + 18 + 22	145 / 188,5	162 / 210,6	39 685 €
	GCHV-E1510W/*ZR1	10 + 22 + 22	151 / 196,3	169,5 / 220,35	39 295 €
	GCHV-E1565W/*ZR1	12 + 22 + 22	156,5 / 203,45	175 / 227,5	40 869 €
	GCHV-E1630W/*ZR1	14 + 22 + 22	163 / 211,9	183 / 237,9	42 492 €
	GCHV-E1680W/*ZR1	16 + 22 + 22	168 / 218,4	188 / 244,4	43 222 €
	GCHV-E1730W/*ZR1	18 + 22 + 22	173 / 224,9	194 / 252,2	44 776 €
	GCHV-E1790W/*ZR1	20 + 22 + 22	179 / 232,7	201 / 261,3	45 425 €
	GCHV-E1845W/*ZR1	22 + 22 + 22	184,5 / 239,85	207 / 269,1	45 960 €
	GCHV-E1900W/*ZR1	12 + 12 + 22 + 22	190 / 247	212 / 275,6	51 098 €
	GCHV-E1960W/*ZR1	10 + 16 + 22 + 22	196 / 254,8	219,5 / 285,35	51 877 €
	GCHV-E2015W/*ZR1	12 + 16 + 22 + 22	201,5 / 261,95	225,5 / 293,15	53 451 €
	GCHV-E2065W/*ZR1	12 + 18 + 22 + 22	206,5 / 268,45	231,5 / 300,95	55 005 €
	GCHV-E2125W/*ZR1	10 + 22 + 22 + 22	212,5 / 276,25	238,5 / 310,05	54 615 €
	GCHV-E2180W/*ZR1	12 + 22 + 22 + 22	218 / 283,4	244 / 317,2	56 189 €
	GCHV-E2245W/*ZR1	14 + 22 + 22 + 22	224,5 / 291,85	252 / 327,6	57 812 €
	GCHV-E2295W/*ZR1	16 + 22 + 22 + 22	229,5 / 298,35	257 / 334,1	58 542 €
	GCHV-E2345W/*ZR1	18 + 22 + 22 + 22	234,5 / 304,85	263 / 341,9	60 096 €
	GCHV-E2405W/*ZR1	20 + 22 + 22 + 22	240,5 / 312,65	270 / 351	60 745 €
GCHV-E2460W/*ZR1	22 + 22 + 22 + 22	246 / 319,8	276 / 358,8	61 280 €	

Qch - cooling capacity - indoor temperature 27°C/19°C (dry/wet bulb), outdoor temperature 35°C/24°C (dry/wet bulb), Qch max - maximum cooling capacity of connected indoor units
 Qt - heating capacity - indoor temperature 20°C/12°C (dry/wet bulb), outdoor temperature 7°C/6°C (dry/wet bulb), Qt max - maximum heating capacity of connected indoor units

VRF SYSTEMS

Outdoor units	Code	Capacity [HP]	Qch/Qch max [kW]	Qt/Qt max [kW]	Price without VAT	
Outdoor units 2-pipe (only EVI DC inverter compressors) - CMV X+ (heating until -30°C)						
 8-12HP	CMV-D252W/ZR1-B	8	25,2 / 32,8	27,4 / 35,6	9 228 €	
	CMV-D280W/ZR1-B	10	28 / 36,4	31,5 / 41	9 761 €	
	CMV-D335W/ZR1-B	12	33,5 / 43,6	37,5 / 48,8	10 951 €	
	CMV-D400W/ZR1-B	14	40 / 52	45 / 58,5	12 845 €	
	CMV-D450W/ZR1-B	16	45 / 58,5	50 / 65	13 902 €	
	CMV-D500W/ZR1-B	18	50 / 65	56 / 72,8	15 158 €	
	CMV-D560W/ZR1-B	20	56 / 72,8	63 / 81,9	15 836 €	
	CMV-D615W/ZR1-B	22	61,5 / 80	69 / 89,7	16 384 €	
	 14-22HP	CMV-D670W/ZR1-B	12 + 12	67 / 87,2	75 / 97,6	21 902 €
		CMV-D730W/ZR1-B	10 + 16	73 / 94,9	81,5 / 106	23 663 €
CMV-D780W/ZR1-B		10 + 18	78 / 101,4	87,5 / 113,75	24 919 €	
CMV-D835W/ZR1-B		12 + 18	83,5 / 108,55	93,5 / 121,55	26 109 €	
CMV-D895W/ZR1-B		16 + 16	89,5 / 116,35	100,5 / 130,65	27 804 €	
CMV-D950W/ZR1-B		16 + 18	95 / 123,5	106 / 137,8	29 060 €	
CMV-D1010W/ZR1-B		16 + 20	101 / 131,3	113 / 146,9	29 738 €	
CMV-D1065W/ZR1-B		16 + 22	106,5 / 138,5	119 / 154,7	30 286 €	
CMV-D1115W/ZR1-B		18 + 22	111,5 / 144,95	125 / 162,5	31 542 €	
CMV-D1175W/ZR1-B		20 + 22	117,5 / 152,75	132 / 171,6	32 220 €	
CMV-D1230W/ZR1-B		22 + 22	123 / 159,9	138 / 179,4	32 768 €	
CMV-D1285W/ZR1-B		12 + 12 + 22	128,5 / 167,05	143,5 / 186,55	38 286 €	
CMV-D1345W/ZR1-B		10 + 16 + 22	134,5 / 174,85	150,5 / 195,65	40 047 €	
CMV-D1400W/ZR1-B		12 + 16 + 22	140 / 182	156 / 202,8	41 237 €	
CMV-D1450W/ZR1-B		12 + 18 + 22	145 / 188,5	162 / 210,6	42 493 €	
 88HP		CMV-D1510W/ZR1-B	10 + 22 + 22	151 / 196,3	169,5 / 220,35	42 529 €
	CMV-D1565W/ZR1-B	12 + 22 + 22	156,5 / 203,45	175 / 227,5	43 719 €	
	CMV-D1630W/ZR1-B	14 + 22 + 22	163 / 211,9	183 / 237,9	45 613 €	
	CMV-D1680W/ZR1-B	16 + 22 + 22	168 / 218,4	188 / 244,4	46 670 €	
	CMV-D1730W/ZR1-B	18 + 22 + 22	173 / 224,9	194 / 252,2	47 926 €	
	CMV-D1790W/ZR1-B	20 + 22 + 22	179 / 232,7	201 / 261,3	48 604 €	
	CMV-D1845W/ZR1-B	22 + 22 + 22	184,5 / 239,85	207 / 269,1	49 152 €	
	CMV-D1900W/ZR1-B	12 + 12 + 22 + 22	190 / 247	212 / 275,6	54 670 €	
	CMV-D1960W/ZR1-B	10 + 16 + 22 + 22	196 / 254,8	219,5 / 285,35	56 431 €	
	CMV-D2015W/ZR1-B	12 + 16 + 22 + 22	201,5 / 261,95	225,5 / 293,15	57 621 €	
	CMV-D2065W/ZR1-B	12 + 18 + 22 + 22	206,5 / 268,45	231,5 / 300,95	58 877 €	
	CMV-D2125W/ZR1-B	10 + 22 + 22 + 22	212,5 / 276,25	238,5 / 310,05	58 913 €	
	CMV-D2180W/ZR1-B	12 + 22 + 22 + 22	218 / 283,4	244 / 317,2	60 103 €	
	CMV-D2245W/ZR1-B	14 + 22 + 22 + 22	224,5 / 291,85	252 / 327,6	61 997 €	
	CMV-D2295W/ZR1-B	16 + 22 + 22 + 22	229,5 / 298,35	257 / 334,1	63 054 €	
	CMV-D2345W/ZR1-B	18 + 22 + 22 + 22	234,5 / 304,85	263 / 341,9	64 310 €	
CMV-D2405W/ZR1-B	20 + 22 + 22 + 22	240,5 / 312,65	270 / 351	64 988 €		
CMV-D2460W/ZR1-B	22 + 22 + 22 + 22	246 / 319,8	276 / 358,8	65 536 €		

Outdoor units	Code	Capacity [HP]	Qch/Qch max [kW]	Qt/Qt max [kW]	Price without VAT	
Outdoor units 3-pipe heat recovery (simultaneous operation cooling/heating) (only inverter compressors) - CMV R						
 8-10HP	CMV-R252W/ZR1	8	25,2 / 32,8	27,4 / 35,6	8 627 €	
	CMV-R280W/ZR1	10	28 / 36,4	31,5 / 41	9 251 €	
	CMV-R335W/ZR1	12	33,5 / 43,6	37,5 / 48,8	10 922 €	
	CMV-R400W/ZR1	14	40 / 52	45 / 58,5	12 613 €	
	CMV-R450W/ZR1	16	45 / 58,5	50 / 65	13 423 €	
	CMV-R532W/ZR1	8 + 10	53,2 / 69,2	58,9 / 76,6	17 878 €	
	CMV-R560W/ZR1	10 + 10	56 / 72,8	63 / 81,9	18 502 €	
	CMV-R615W/ZR1	10 + 12	61,5 / 80	69 / 89,7	20 173 €	
	 12-16HP	CMV-R680W/ZR1	10 + 14	68 / 88,4	76,5 / 99,5	21 864 €
		CMV-R730W/ZR1	10 + 16	73 / 94,9	81,5 / 106	22 674 €
CMV-R800W/ZR1		14 + 14	80 / 104	90 / 117	25 226 €	
CMV-R850W/ZR1		14 + 16	85 / 110,5	95 / 123,5	26 036 €	
CMV-R900W/ZR1		16 + 16	90 / 117	100 / 130	26 846 €	
CMV-R960W/ZR1		10 + 10 + 14	96 / 124,8	108 / 140,4	31 115 €	
CMV-R1010W/ZR1		10 + 10 + 16	101 / 131,3	113 / 146,9	31 925 €	
CMV-R1065W/ZR1		10 + 12 + 16	106,5 / 138,5	119 / 154,7	33 596 €	
CMV-R1130W/ZR1		10 + 14 + 16	113 / 146,9	126,5 / 164,5	35 287 €	
CMV-R1200W/ZR1		14 + 14 + 14	120 / 156	135 / 175,5	37 839 €	
 54HP	CMV-R1250W/ZR1	14 + 14 + 16	125 / 162,5	140 / 182	38 649 €	
	CMV-R1300W/ZR1	14 + 16 + 16	130 / 169	145 / 188,5	39 459 €	
	CMV-R1350W/ZR1	16 + 16 + 16	135 / 175,5	150 / 195	40 269 €	
	CMV-R1432W/ZR1	8 + 10 + 16 + 16	143,2 / 186,2	158,9 / 206,6	44 724 €	
	CMV-R1460W/ZR1	10 + 10 + 16 + 16	146 / 189,8	163 / 211,9	45 348 €	
	CMV-R1515W/ZR1	10 + 12 + 16 + 16	151,5 / 197	169 / 219,7	47 019 €	
	CMV-R1580W/ZR1	10 + 14 + 16 + 16	158 / 205,4	176,5 / 229,5	48 710 €	
	CMV-R1650W/ZR1	14 + 14 + 14 + 16	165 / 214,5	185 / 240,5	51 262 €	
	CMV-R1685W/ZR1	14 + 14 + 16 + 16	170 / 221	190 / 247	52 072 €	
	CMV-R1750W/ZR1	14 + 16 + 16 + 16	175 / 227,5	195 / 253,5	52 882 €	
CMV-R1800W/ZR1	16 + 16 + 16 + 16	180 / 234	200 / 260	53 692 €		

Qch - cooling capacity - indoor temperature 27°C/19°C (dry/wet bulb), outdoor temperature 35°C/24°C (dry/wet bulb), Qch max - maximum cooling capacity of connected indoor units
 Qt - heating capacity - indoor temperature 20°C/12°C (dry/wet bulb), outdoor temperature 7°C/6°C (dry/wet bulb), Qt max - maximum heating capacity of connected indoor units


VRF SYSTEMS

ACCESSORIES

Distributors for 2-pipe VRF systems

Type	Code	Description	Price without VAT
Distributors (liquid, gas) for indoor units	SP-FQG-N01D	up to 17kW	41 €
	SP-FQG-N02D	17kW to 33,5kW	77 €
	SP-FQG-N03D	33,5kW to 68kW	144 €
	SP-FQG-N04D	68kW to 135kW	165 €
	SP-FQG-N05D	more than 135kW	247 €
Distributors (liquid, gas) for outdoor units	SP-FQG-W2D	Connection of 2 outdoor modules (1x gas, 1x liquid)	144 €
	SP-FQG-W3D	Connection of 3 outdoor modules (2x gas, 2x liquid)	304 €
	SP-FQG-W4D	Connection of 4 outdoor modules (3x gas, 3x liquid)	494 €

Distributors for 3-pipe VRF systems

Type	Code	Description	Price without VAT
Distributors (liquid, 2x gas) for indoor units	SP-FQG-N01E	up to 16,6kW	45 €
	SP-FQG-N02E	16,6kW to 33kW	82 €
	SP-FQG-N03E	33kW to 66kW	150 €
	SP-FQG-N04E	66kW to 92kW	175 €
	SP-FQG-N05E	more than 92kW	200 €
Distributors (liquid, gas) for outdoor units	SP-FQG-W2E	Connection of 2 outdoor modules (2x gas, 1x liquid)	160 €
	SP-FQG-W3E	Connection of 3 outdoor modules (4x gas, 2x liquid)	330 €
	SP-FQG-W4E	Connection of 4 outdoor modules (6x gas, 3x liquid)	550 €
CS box for 3-pipe system 	CMV-CS02/R1	Connection of max. 2 groups with max. 8 indoor units	1 362 €
	CMV-CS04/R1	Connection of max. 4 groups with max. 16 indoor units	2 501 €
	CMV-CS06/R1	Connection of max. 6 groups with max. 24 indoor units	3 478 €

Regulation

Type	Code	Description	Price without VAT
Infrared control	NT-03, NT-05	Infrared remote controller (in package of G, UA, Q*) (* models - receiver in package)	27 €
Wired controller for G models	ZKX-C/TE-06B	Wired controller, interconnection cable 10m (3pin)	65 €
	CSP-D178-01P	Touch screen wired controller, interconnection cable 5m (3pin)	127 €
Wired controller for UA, Q*, T* models	ZKX-C/TE-06 (SP-D095B)	Wired controller, interconnection cable 10m (5pin) (in package of TA, TB, TH models)	55 €
	CSP-D178-01P + SP-D157	Touch screen wired controller, interconnection cable 5m (3pin), cable adapter (3pin-5pin)	154 €
Centralized control	CSP-D184-01P	Group wired controller + power adapter 230V, ModBus, ON/OFF contact (max. 100 units)	254 €
	CSP-D181-01P	Wireless (WiFi) group control CMV SMART (max. 64 indoor units), local or through internet	545 €
	CSP-D182-01P	Touch screen group controller, WiFi, ModBus (max. 64 indoor units)	1 057 €
BMS	SP-D166	PCB for remote control signal 0-10V (1x for each indoor unit) (5pin), (capacity and mode change (heating 0,6V-4,8V))	70 €
	SP-D168	ModBus box (additional board for ModBus control)	199 €
BMS - network control, billing function	CSP-D174-01P	Centralized module CHV NET S, supply, 1x gateway (max. 15 systems, max. 128 indoor units)	8 994 €
	CSP-D175-01P	Centralized module CHV NET S, supply, 2x gateway (max. 30 systems, max. 256 indoor units)	9 742 €
	CSP-D176-01P	Centralized module CHV NET M, supply, 4x gateway (max. 60 systems, max. 512 indoor units)	13 741 €
	CSP-D177-01P	Centralized module CHV NET L, supply, 8x gateway (max. 120 systems, max. 1024 indoor units)	24 607 €
	SP-D120	Digital ammeter (1piece for each outdoor module) - max. 100A	364 €



FQG



NT



ZKX



D178



SP-D184



SP-D181



SP-D182



SP-D168



GATEWAY



CHV NET





SP-D120

SPLIT SYSTEMS





Type	Code indoor Code outdoor	Description	Qch [kW] SEER	Qt [kW] SCOP	In package	Price without VAT		
High-wall - CCG								
	3pin	CCG-V09HR4-GSA-S40	High-wall split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	0,95 / 2,6 / 3,1 A++	0,94 / 2,8 / 3,5 A+	infrared controller 295 €	645 €	
		COU-D09HR4-AA02-S40				350 €		
	3pin	CCG-V12HR4-GSB-S40	High-wall split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	1,0 / 3,4 / 3,7 A++	1,0 / 3,6 / 3,8 A+	infrared controller 309 €	680 €	
		COU-D12HR4-AA01-S40				371 €		
	3pin	CCG-D18HR4-GSC-S40	High-wall split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	1,25 / 5,1 / 5,9 A++	1,25 / 5,4 / 6,8 A+	infrared controller 346 €	1 075 €	
		COU-D18HR4-A01-S40				729 €		
3pin	CCG-D24HR4-GSC-S40	High-wall split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	1,83 / 6,8 / 7,5 A++	1,85 / 7,5 / 7,95 A+	infrared controller 418 €	1 436 €		
	COU-D24HR4-C01-S40				1 018 €			
Floor-ceiling - CUA								
	3pin	CUA-D18HR4-LDBA	Floor-ceiling split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	2,0 / 5,3 / 5,6 A++	2,2 / 5,3 / 5,8 A+	infrared controller 722 €	1 926 €	
		COU-D18HR4-A01				1 204 €		
	3pin	CUA-D24HR4-LDBA	Floor-ceiling split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	2,9 / 7,0 / 8,0 A++	3,3 / 7,7 / 8,5 A+	infrared controller 767 €	2 298 €	
		COU-D24HR4-C01				1 531 €		
	3pin	CUA-D36HR4-LDBB	Floor-ceiling split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	3,6 / 10,5 / 12,8 A++	4,35 / 11,5 / 13,2 A+	infrared controller 831 €	3 345 €	
		COU-D36HR4-D01				2 514 €		
	3pin	CUA-D48HR4-LDBC	Floor-ceiling split system, R32, 400V/3f/50Hz, cooling/heating until -15°C	7,0 / 14,0 / 15,5 A++	8,0 / 15,2 / 16,0 A+	infrared controller 1 134 €	4 020 €	
		COU-48HZDR4				2 886 €		
	3pin	CUA-D55HR4-LDBC	Floor-ceiling split system, R32, 400V/3f/50Hz, cooling/heating until -15°C	7,5 / 16,0 / 17,0 A++	8,5 / 16,8 / 17,5 A+	infrared controller 1 155 €	4 302 €	
		COU-55HZDR4				3 147 €		
Cassette 4-way mini (panel 650x650mm) - CCB, cassette round flow (panel 950x950mm) - CCR								
	3pin	CCB-D18HR4-Q402	Cassette mini split system, R32, 650x650, 230V/1f/50Hz, cooling/heating until -15°C	2,0 / 5,3 / 5,6 A+	2,2 / 5,3 / 5,8 A+	infrared controller 662 €	1 866 €	
		COU-D18HR4-A01				1 204 €		
			SP-S044	Cassette panel 650x650mm (LED display) - specify code in order, mandatory for model CCB			-	in price
	3pin	CCR-D18HR4-Q303	Cassette split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	2,0 / 5,3 / 5,6 A++	2,2 / 5,3 / 5,8 A+	infrared controller 841 €	2 045 €	
		COU-D18HR4-A01				1 204 €		
	3pin	CCR-D24HR4-Q303	Cassette split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	2,9 / 7,0 / 8,0 A++	3,3 / 7,7 / 8,5 A+	infrared controller 870 €	2 401 €	
		COU-D24HR4-C01				1 531 €		
	3pin	CCR-D36HR4-Q305	Cassette split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	3,6 / 10,5 / 12,8 A++	4,35 / 11,5 / 13,2 A+	infrared controller 887 €	3 401 €	
		COU-D36HR4-D01				2 514 €		
	3pin	CCR-48HVR4S	Cassette split system, R32, 400V/3f/50Hz, cooling/heating until -15°C	7,0 / 14,0 / 15,5 A++	8,0 / 15,2 / 16,0 A+	infrared controller 947 €	3 833 €	
		COU-48HZDR4				2 886 €		
	3pin	CCR-55HVR4S	Cassette split system, R32, 400V/3f/50Hz, cooling/heating until -15°C	7,5 / 16,0 / 17,0 A++	8,5 / 16,8 / 17,5 A+	infrared controller 1 063 €	4 210 €	
		COU-55HZDR4				3 147 €		
			SP-S068	Cassette panel 950x950mm (digital display) - specify code in order, mandatory for models CCR			-	in price
Ducted low pressure (ESP=0-50Pa) - CTA, ducted medium pressure (ESP=0-120Pa) - CTB								
	3pin	CTA-D18HR4-F102	Ducted low pressure split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	2,0 / 5,3 / 5,6 A++	2,2 / 5,3 / 5,8 A+	infrared controller 604 €	1 808 €	
		COU-D18HR4-A01				1 204 €		
	3pin	CTA-D24HR4-F103	Ducted low pressure split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	2,9 / 7,0 / 8,0 A++	3,3 / 7,7 / 8,5 A+	infrared controller 870 €	2 401 €	
		COU-D24HR4-C01				1 531 €		
	3pin	CTB-D36HR4-F205	Ducted medium pressure split system, R32, 230V/1f/50Hz, cooling/heating until -15°C	3,6 / 10,5 / 12,8 A++	4,35 / 11,5 / 13,2 A+	infrared controller 1 056 €	3 570 €	
		COU-D36HR4-D01				2 514 €		
	3pin	CTB-48HVR4S	Ducted medium pressure split system, R32, 400V/3f/50Hz, cooling/heating until -15°C	7,0 / 14,0 / 15,5 A++	8,0 / 15,2 / 16,0 A+	infrared controller 1 077 €	3 963 €	
		COU-48HZDR4				2 886 €		
	3pin	CTB-55HVR4S	Ducted medium pressure split system, R32, 400V/3f/50Hz, cooling/heating until -15°C	7,5 / 16,0 / 17,0 A++	8,5 / 16,8 / 17,5 A+	infrared controller 1 236 €	4 383 €	
		COU-55HZDR4				3 147 €		

ACCESSORIES

Type	Code	Description	Price without VAT
	NT-03	Infrared remote controller (in package of CUA, CCB, CCR, CTA, CTB)	27 €
	NT-10	Infrared remote controller (in package of CCG)	27 €
	ZKX-C/TE-06 (SP-D095B)	Wired controller, interconnection cable 10m (3pin) (optional for CUA, CCB, CCR, CTA, CTB)	55 €
	ZKX-C/TE-06B	Wired controller, interconnection cable 10m (3pin) (optional for CCG)	65 €
	CSP-D178-01P + SP-D157	Touch screen wired controller, interconnection cable 5m (3pin), cable adapter (3pin-5pin) for 5pin models	154 €
	CSP-D178-01P	Touch screen wired controller, interconnection cable 5m (3pin)	127 €
	CSP-D183	WiFi box (1x for each unit) (3pin) (included 0,8m 3pin cable)	71 €
	SP-D157	Cable adapter (3pin-5pin) for 5pin models for WiFi box	27 €
	803300301118	PCB for centralized control/ModBus (3pin) (1x for each unit) (mandatory for controls below)	25 €
	803300200116	PCB for centralized control (5pin) (1x for each unit) (mandatory for controls below)	47 €
	CSP-D184-01P	Group wired controller + power adapter 230V, ModBus, ON/OFF contact (max. 64 units)	254 €
	CSP-D181-01P	Wireless (WiFi) group control CMV SMART (max. 64 indoor units), local or through internet	545 €
	CSP-D182-01P	Touch screen group controller, WiFi, ModBus (max. 64 indoor units)	1 057 €
	SP-D168	ModBus box (additional board for ModBus control)	199 €

Qch - cooling capacity (minimum/nominal/maximum) - indoor temperature 27°C/19°C (dry/wet bulb), outdoor temperature 35°C/24°C (dry/wet bulb)
 Qt - heating capacity (minimum/nominal/maximum) - indoor temperature 20°C/12°C (dry/wet bulb), outdoor temperature 7°C/6°C (dry/wet bulb)
 SEER - seasonal cooling efficiency, SCOP - seasonal heating efficiency

CONDENSING UNITS


Units	Code	Description	Qch (min-max) [kW]	Qt (min-max) [kW]	Power supply	Price without VAT
Condensing units LCAC (cooling and heating until -15°C) - COU LCAC DCI						
	COU-D18HR4-A01	Max. pipe length 15m, R32	5,3 (2,0-5,6)	5,3 (2,2-5,8)	230V/1f/50Hz	1 204 €
	COU-D24HR4-C01	Max. pipe length 20m, R32	7,0 (2,9-8,0)	7,7 (3,3-8,5)	230V/1f/50Hz	1 531 €
	COU-D36HR4-D01	Max. pipe length 65m, R32	10,5 (3,6-12,8)	11,5 (4,35-13,2)	230V/1f/50Hz	2 514 €
	COU-48HZDR4	Max. pipe length 65m, R32	14,0 (7,0-15,5)	15,2 (8,0-16)	400V/3f/50Hz	2 886 €
	COU-55HZDR4	Max. pipe length 65m, R32	16,0 (7,5-17)	16,8 (8,5-17,5)	400V/3f/50Hz	3 147 €
Condensing units VRF (cooling until -5°C, heating until -20°C) - GCHV mini						
	GCHV-D180W/HZR1-050D	Max. pipe length 60m, R410A	18,0	20,0	400V/3f/50Hz	4 626 €
	GCHV-D224W/HZR1-080	Max. pipe length 60m, R410A	22,4	24,0	400V/3f/50Hz	5 569 €
	GCHV-D260W/HZR1-100	Max. pipe length 60m, R410A	26,0	28,5	400V/3f/50Hz	5 989 €
	GCHV-D280W/HZR1-100	Max. pipe length 60m, R410A	28,0	31,5	400V/3f/50Hz	6 178 €
	GCHV-D335W/HZR1-100	Max. pipe length 60m, R410A	33,5	37,5	400V/3f/50Hz	6 524 €
Condensing units VRF (cooling until -5°C, heating until -30°C) - GCHV PRO						
<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 10px;">  <p>8-12HP</p> </div> <div>  <p>14-20HP</p> </div> </div>	GCHV-E252W/*ZR1	Module 8HP, R410A	25,2	27,4	400V/3f/50Hz	8 089 €
	GCHV-E280W/*ZR1	Module 10HP, R410A	28,0	31,5	400V/3f/50Hz	8 655 €
	GCHV-E335W/*ZR1	Module 12HP, R410A	33,5	37,5	400V/3f/50Hz	10 229 €
	GCHV-E400W/*ZR1	Module 14HP, R410A	40,0	45,0	400V/3f/50Hz	11 852 €
	GCHV-E450W/*ZR1	Module 16HP, R410A	45,0	50,0	400V/3f/50Hz	12 582 €
	GCHV-E500W/*ZR1	Module 18HP, R410A	50,0	56,0	400V/3f/50Hz	14 136 €
	GCHV-E560W/*ZR1	Module 20HP, R410A	56,0	63,0	400V/3f/50Hz	14 785 €
	GCHV-E615W/*ZR1	Module 22HP, R410A	61,5	69,0	400V/3f/50Hz	15 320 €
	GCHV-E670W/*ZR1	Modules 12+12HP, R410A	67,0	75,0	400V/3f/50Hz	20 458 €
	GCHV-E730W/*ZR1	Modules 10+16HP, R410A	73,0	81,5	400V/3f/50Hz	21 237 €
	GCHV-E785W/*ZR1	Modules 12+16HP, R410A	78,5	87,5	400V/3f/50Hz	22 811 €
	GCHV-E835W/*ZR1	Modules 12+18HP, R410A	83,5	93,5	400V/3f/50Hz	24 365 €
	GCHV-E900W/*ZR1	Modules 16+16HP, R410A	90,0	100,0	400V/3f/50Hz	25 164 €
	GCHV-E950W/*ZR1	Modules 16+18HP, R410A	95,0	106,0	400V/3f/50Hz	26 718 €
	GCHV-E1010W/*ZR1	Modules 16+20HP, R410A	101,0	113,0	400V/3f/50Hz	27 367 €
	GCHV-E1065W/*ZR1	Modules 16+22HP, R410A	106,5	119,0	400V/3f/50Hz	27 902 €
	GCHV-E1115W/*ZR1	Modules 18+22HP, R410A	111,5	125,0	400V/3f/50Hz	29 456 €
	GCHV-E1175W/*ZR1	Modules 20+22HP, R410A	117,5	132,0	400V/3f/50Hz	30 105 €
	GCHV-E1230W/*ZR1	Modules 22+22HP, R410A	123,0	138,0	400V/3f/50Hz	30 640 €
	GCHV-E1285W/*ZR1	Modules 12+12+22HP, R410A	128,5	143,5	400V/3f/50Hz	35 778 €
GCHV-E1345W/*ZR1	Modules 10+16+22HP, R410A	134,5	150,5	400V/3f/50Hz	36 557 €	
GCHV-E1400W/*ZR1	Modules 12+16+22HP, R410A	140,0	156,0	400V/3f/50Hz	38 131 €	

- for higher capacity than 140kW, contact us


ACCESSORIES

Distributors			
Type	Code	Description	Price without VAT
Distributors (liquid, gas) to combine more AHU kits	SP-FQG-N02D	17kW to 33,5kW	77 €
	SP-FQG-N03D	33,5kW to 68kW	144 €
	SP-FQG-N04D	68kW to 135kW	165 €
	SP-FQG-N05D	more than 135kW	247 €
Distributors (liquid, gas) for outdoor units VRF	SP-FQG-W2D	Connection of 2 outdoor modules	144 €
	SP-FQG-W3D	Connection of 3 outdoor modules	304 €
	SP-FQG-W4D	Connection of 4 outdoor modules	494 €
AHU kit			
Type	Code	Description	Price without VAT
Connection to external evaporator in AHU	GCHV-AHU-KIT	AHU PCB BOX for 2,2-336kW VRF (sensors, mode change, control 0-10V, IP20), controller) - choose EEV below	412 €
	GCHV-AHU-EXV03	AHU EEV BOX for 2,2-8kW VRF (EEV)	120 €
	GCHV-AHU-EXV07	AHU EEV BOX for 9-20kW VRF (EEV)	189 €
	GCHV-AHU-EXV14	AHU EEV BOX for 22,4-40kW VRF (EEV)	257 €
	GCHV-AHU-EXV22	AHU EEV BOX for 45-61,5kW VRF (EEV)	292 €
	SP-D146	AHU KIT for 18kW VRF (EEV, sensors, controller, control 0-10V, IP20)	439 €
	SP-D147	AHU KIT for 22,4-33,5kW VRF (EEV, sensors, controller, control 0-10V, IP20)	655 €
	SP-D148	AHU KIT for 40-56kW VRF (EEV, sensors, controller, control 0-10V, IP20)	727 €
	SP-D149	AHU KIT for 61,5-83,5kW VRF (EEV, sensors, controller, control 0-10V, IP20)	803 €
	SP-D166	PCB for remote control signal 0-10V (capacity control and mode change (heating 0,6V-4,8V / cooling 5,8-10V))	70 €
	KM-113.18/LCAC	AHU KIT for LCAC (sensors, mode change, control 0-10V, IP65) - ModBus on request	897 €
	KM-113.17p/VRF	AHU KIT for VRF (sensors, mode change, control 0-10V, ModBus, IP65) - choose EEV below	1 352 €
	TP	Pressure sensor	50 €
	EXV4	Electric expansion valve + 6m cable for capacity 2-19kW	354 €
	EXV5	Electric expansion valve + 6m cable for capacity 6-58kW	354 €
	EXV6	Electric expansion valve + 6m cable for capacity 15-140kW	424 €

Connection scheme LCAC:





Connection scheme VRF:











Qch - cooling capacity - evaporation temperature 4°C, outdoor temperature 35°C/24°C (dry/wet bulb)
 Qt - heating capacity - outdoor temperature 7°C/6°C (dry/wet bulb)

WATER SYSTEMS

Heat pumps	Code	Description	Qch [kW]	Qt [kW]	Price without VAT
Modular heat pumps (connection up to 32 (30kW, 65kW) or 16 (130kW) modules with master/slave control) - CLS F					
	CLS-F30HW/ZR1B	Air to water heat pump, ErP certification, R410A, 1x scroll compressor, 1 cooling circuit, 1 capacity step, shell and tube exchanger, covers, flow switch, phase monitor, HP/LP protection, 3f~400V/50Hz, (cooling until +15°C, heating until -15°C)	30	35,2	9 424 €
	CLS-F65HW/ZR1B	Air to water heat pump, ErP certification, R410A, 2x scroll compressor, 1 cooling circuit, 2 capacity steps, shell and tube exchanger, covers, flow switch, phase monitor, HP/LP protection, 3f~400V/50Hz, (all year cooling until -15°C, heating until -15°C)	65	70	17 035 €
	CLS-F130HW/ZR1B	Air to water heat pump, ErP certification, R410A, 4x scroll compressor, 2 cooling circuits, 4 capacity steps, shell and tube exchangers, covers, flow switch, phase monitor, HP/LP protection, 3f~400V/50Hz, (cooling until +15°C, heating until -15°C)	130	140,11	32 296 €
Modular EVI heat pumps (connection up to 32 (30kW, 60kW) or 16 (120kW) modules with master/slave control) - CLS FE					
	CLS-FE35HW/ZR1A	Air to water inverter heat pump, ErP certification, R410A, 1x EVI scroll DCI compressor, 1 cooling circuit, 1 capacity step, shell and tube exchanger, covers, flow switch, phase monitor, HP/LP protection, 3f~400V/50Hz, (cooling until -5°C, heating until -30°C)	30	36	9 879 €
	CLS-FE75HW/ZR1A	Air to water inverter heat pump, ErP certification, R410A, 2x EVI scroll DCI compressor, 2 cooling circuits, 2 capacity steps, shell and tube exchangers, covers, flow switch, phase monitor, HP/LP protection, 3f~400V/50Hz, (cooling until -5°C, heating until -30°C)	60	77	18 918 €
	CLS-FE140HW/ZR1A	Air to water inverter heat pump, ErP certification, R410A, 4x EVI scroll DCI compressor, 4 cooling circuits, 4 capacity steps, shell and tube exchangers, covers, flow switch, phase monitor, HP/LP protection, 3f~400V/50Hz, (cooling until -5°C, heating until -30°C)	120	142	35 068 €

ACCESSORIES					
Type	Code	Description	Price without VAT		
	CSP-D140	Wired controller for models CLS-F , ambient air temperature sensor, water temperature sensors (mandatory for master module)	182 €		
	CSP-D168-01P	Wired controller for models CLS-FE , ambient air temperature sensor, water temperature sensors (mandatory for master module)	182 €		

Fancoils	Code	Description	Qch [kW]	Qt [kW]	Price without VAT
Cassette 4-way mini (panel 650x650mm) - CSQ4					
	CSQ4-300R-A	Cassette fancoil 2-pipe, pump, infrared controller	1,6 - 2,5	2,56 - 3,84	593 €
	CSQ4-470R-A	Cassette fancoil 2-pipe, pump, infrared controller	2,9 - 4,5	4,22 - 6,65	655 €
	CSQ4-300R-F	Cassette fancoil 4-pipe, pump, infrared controller	1,5 - 1,9	2,24 - 3,95	679 €
	CSQ4-470R-F	Cassette fancoil 4-pipe, pump, infrared controller	1,7 - 2,4	2,87 - 4,93	734 €
	SP-S044	Cassette panel 650x650mm (LED display) - specify code in order, mandatory for model CSQ4			in price
Cassette 4-way (panel 950x950mm) - CSQ					
	CSQ-760R	Cassette fancoil 2-pipe, pump, infrared controller	4,7 - 7,2	8,95 - 13,82	789 €
	CSQ-1000R	Cassette fancoil 2-pipe, pump, infrared controller	6,5 - 10	12,54 - 19,18	837 €
	SP-S054	Cassette panel 950x950mm (digital display) - specify code in order, mandatory for models CSQ...R			in price
Cassette round flow (panel 950x950mm) - CSQ					
	CSQ-760R-F	Cassette fancoil 4-pipe, pump, infrared controller	3,8 - 7,2	7,18 - 9,42	854 €
	CSQ-1000R-F	Cassette fancoil 4-pipe, pump, infrared controller	6,5 - 10	9,5 - 15,6	933 €
	SP-S068	Cassette panel 950x950mm (digital display) - specify code in order, mandatory for models CSQ...R-F			in price

ACCESSORIES					
Type	Code	Description	Price without VAT		
	NT-03	Infrared remote controller (in package)	27 €		
	ZKX-C/TE-06	Wired controller, interconnection cable 10m (optional)	55 €		
	803300200116	PCB for centralized control (Spin) (1x for each unit) (mandatory for controls below)	47 €		
	CSP-D184-01P	Group wired controller + power adapter 230V, ModBus, ON/OFF contact (max. 64 units)	254 €		
	SP-D168	ModBus box (additional board for ModBus control)	199 €		

Heat pump conditions:
 Qch - cooling capacity - water temperature 12/7°C, outdoor temperature 35°C/24°C (dry/wet bulb), Qt - heating capacity - water temperature 40/45°C, outdoor temperature 7°C/6°C (dry/wet bulb)

Fancoils conditions:
 Qch - cooling capacity - water temperature 7/12°C, indoor temperature 27°C/19°C (dry/wet bulb), Qt - heating capacity - water temperature 50/45°C, indoor temperature 20°C



GIWEE

www.giwee.eu.com

Specifications and prices are subject to change without prior notice. Prices are without VAT.